### Cellenion's new

# spheroONE®





Automated sorting and isolation of single spheroids and organoids







# About spheroONE

spheroONE is an innovative single large-particle sorter and dispenser which revolutionizes 3D cellular models handling. Using precision dispensing technology together with advanced image-based sorting capabilities, spheroONE is the perfect platform for the selection and isolation of single spheroids, organoids and tumoroids. It is a game-changer in drug screening and other applications where standard 3D models will gradually replace traditional animal models.

# spheroONE enables

- Automated sorting and isolation of single large particles like spheroids, organoids and tumoroids
- Drug screening on spheroids grown in bulk, reducing labour
- Controlled biomass via user-defined number and size of spheroids per well, allowing high quality cytotoxicological assays
- Standardized 3D model-based assays

### **Benefits**

Automated cellular aggregates sorting and dispensing

#### **ACCURACY & HOMOGENEITY**

- Up to 100% single spheroid accuracy
- Precisely-controlled drop volume (100 nL 1 μL) enable outstanding reproducibility (CV
   < 3%)</li>
- Biomass per well under precise control:
  - User-defined number of spheroids per well
  - User-defined sorting by size, shape, and using fluorescent markers provides highly homogeneous populations

#### **VERSATILITY**

- All particles from 80 600 µm in diameters
- Open-platform, compatible with both standard well plate (i.e. 96-, 384-) and custom-designed labware
- Discarded cellular aggregates can be reprocessed on account of recovery tube
- Low volume, nL to μL drop-on-demand reagent or drug dispensing
- Temperature control of target labwares enables the use of Matrigel(R)


#### **STANDARDIZATION**

#### Size gating







#### 100-500μm, E<1,5



350-500μm, E<1,5




200-250μm, E<1,5



Single spheroids sorting by size

Scale bar = 500 µm


#### **CONTROLLED BIOMASS**




Individually sorted spheroids (5 spheroids per well).

#### **CONVENTIONAL**

#### spheroONE





Cell suspension aggregated in U-bottom well

Spheroid isolated with spheroONE

Pre-straining spheroids allows removal of cellular debris (black arrows)

#### **ASSAY QUALITY**

- Remove any debris to facilitate imaging and improve drug screening results
- Select homogeneous spheroids/organoids to improve assay reliability (higher Z' scores)

#### TIME AND COST SAVINGS

- Reduce costs and labour by preparing spheroid in bulk
- Minimize reagent consumption

#### **VIABILITY**


Maintains integrity and viability of fragile cellular aggregates (e.g. organoids)








- Rapid bulk culture prior spheroid isolation for preparation of assay-ready plates
- Sorting enables isolation of homogeneous spheroids from heterogeneous starting populations, greatly improving assay results
- Accelerate drug screening workflows by minimizing time spent in incubators, i.e. isolated spheroids can directly be
   exposed to drugs rather than spending days in well plates
- Avoid media exchange that may lead to spheroid loss








### Organoids


- Compartmentalization (single organoid/tumoroid)
   Work with small sized initial samples (i.e. patient-derived biopsy)
- Possibility to deposit organoids/tumoroids on lab-on-a-chip devices
- Pre-sorting of the most promising spheroids for organoid differentiation
  - Only select aggregates that have good odds of forming high quality organoids
  - Enhanced yield
- Sorting of differentiated organoids
  - Sorting organoids after differentiation in order to keep only those of interest
  - Starting material: adult stem cells, PSCs or iPSCs
- Dispense organoids directly into Matrigel (R)
  - Temperature control of target plate





### Technology

Tailored dispensing technology:
gentle and fast actuated
electromagnetic microvalve
dispensing. Smart image-based,
multi-parameter detection and
sorting



- 1. Spheroid/organoid suspension is loaded in a glass capillary
- 2. spheroONE single large particle optical detection
- 3. Capillary tip is segmented into two zones
- 4. If the next droplet contains only a single spheroid fitting user-defined parameters (size, fluorescence markers), it is dispensed into the target well. Otherwise, it is recovered in a vial for further reprocessing.

**Ejection Zone** = what will be in the next generated droplet

**Sedimentation Zone** = safety zone considering possible sedimentation

### Product specifications

Dispensing Technology Electromagnetic microvalve drop-on-demand

Dispense Volume 100 nL to 10 µL, CV < 3%

Drives Linear for X/Y and spindle for Z

Resolution 1 µm

Accuracy (Absolute < 10 µm

Position)

Precision (Repeat Position)

Camera HD vision: In-built Brightfield & Fluorescence

 $< 3 \mu m$ 

microscope

Max Speed 100 cm/s

650 x 700 x 1590 (L x W x H, mm)

Dimensions -> L = 1300 mm incl. monitor arm

-> H = 2050 mm with hood open

Weight 205 kg

Voltage 110 V; 220 V

Related products	Catalog number
spheroONE	F00CS



#### For more information:



## Want to see it in action?

Book a demo through our website!

cellenion.com

Also, check out our cellenONE® single cell dispenser.



### Contact Us

#### Cellenion SASU

60 Avenue Rockefeller Bioserra 2 69008 LYON France Tel: +33 986 48 70 70 contact@cellenion.com www.cellenion.com

#### **SCIENION GmbH**

Volmerstr. 7b D-12489 Berlin Tel: +49 (0)30 6392 1700 support@scienion.com www.scienion.com

#### SCIENION US, Inc

4405 E. Baseline Road Suite #123 Phoenix, AZ. 85042 United States Tel: +1 (888) 988-3842 USsalessupport@scienion.com

#### SCIENION (UK) Ltd

2000, Lakeside North Harbour Western Road, Portsmouth PO6 3EN United Kingdom +44 (0)7483 388 271 +44 (0)23 9323 3603 support@scienion.com